



RoHS CE REACH



85- 305VAC 100- 430VDC

41*23. 5*15mm

0. 05W

/ / /

-40 to +85

3kV

100%

3

SFA15

41*23. 5*15mm

3kV

EMC

15W
UL62368-1 EN62368-1

0. 35mA



SFA 15 - S 12 L CC

1 2 3 4 5

1. SFA SIP
2. 15
3. S Single ()
4. 12
5. L 90°
CC



		(W)	(V)	(A)	& (mVp-p)	(%)
SFA15-S03	85- 305VAC 100- 430VDC	9. 9	3. 3	3	100	79
SFA15-S05		14	5	2. 8	100	79
SFA15-S12		15	12	1. 25	100	86
SFA15-S12V5		15	12. 5	1. 2	100	86
SFA15-S15		15	15	1	100	86
SFA15-S24		15	24	0. 625	100	85

		± 2.0%
		± 1.5%
		± 1.0%
	()	1000ms 20ms/230VAC 2000ms 50ms/115VAC
	()	16ms/230VAC
		85-305VAC 100-430VDC
		100-277VAC

- 1. R C2 C3 TVS
- 2. NF L=30mH EMC
- 3.

	R	MOV	L	C1	NF	CX	CY	L1	C2/C3	TVS
--	---	-----	---	----	----	----	----	----	-------	-----

SFA15-S03

3.3